



Specifications

Model No.	Power	Voltage	Wave length	Lamp type	Lamp base	Hold time	Lamp size	Operating Temp (°C/°F)	Life span	Weight (lbs=kgx2.2)	Color
U10-60W-01	60W±15%	120V(100-140V) 50~60Hz	254nm	UVC	E26 E27 E39 Ex39 E40	30/60/90/120 mins	E26: D94XL322mm E27: D94XL324mm E39: D94XL331mm E40: D94XL335mm	-10~35°C 14~95°F	9,000H	E26 NW:0.92kg GW:1.14kg	Matt Silver
U10-60W-02	60W±15%	230V(210-250V) 50~60Hz	254nm	UVC	E26 E27 E39 Ex39 E40	30/60/90/120 mins	E26: D94XL322mm E27: D94XL324mm E39: D94XL331mm E40: D94XL335mm	-10~35°C 14~95°F	9,000H	E39 NW:0.95kg GW:1.17kg	Matt Silver
U10-80W-01	80W±15%	120V(100-140V) 50~60Hz	254nm	UVC	E26 E27 E39 Ex39 E40	30/60/90/120 mins	E26: D94XL422mm E27: D94XL424mm E39: D94XL431mm E40: D94XL435mm	-10~35°C 14~95°F	9,000H	E26 NW:1.10kg GW:1.35kg	Matt Silver
U10-80W-02	80W±15%	230V(210-250V) 50~60Hz	254nm	UVC	E26 E27 E39 Ex39 E40	30/60/90/120 mins	E26: D94XL422mm E27: D94XL424mm E39: D94XL431mm E40: D94XL435mm	-10~35°C 14~95°F	9,000H	E39 NW:1.12kg GW:1.37kg	Matt Silver

Features



Quartz tube



Wireless control




20S delay start-up



Ozone-free UV



Microwave and PIR Sensor Built-in




Effectively kill 99.99% mites



Effectively kill parasites



Effectively kill virus



UV irradiation

Ozone-free UV lamp

Ultraviolet radiation rays is in a straight line, it is not disinfecting if it is blocked;


Usable area Power	Hold time	30mins	60mins	90mins	120mins
60W		20 m ²	30 m ²	35 m ²	40 m ²
80W		40 m ²	50 m ²	55 m ²	60 m ²

Microwave Sensor Built-in


Ceiling Mount
Top View




Top View



Wall Mount
Top View




Top View



Features

- **U10 Microwave and PIR Sensor Built-in**



3D sensor detection: 1 Microwave + 3 PIR sensors, automatically turn off when unintended entry detected;

- **U10 Wireless Remote**




On/off and timing (30/60/90/120 mins) function with wireless remote
(there is 20s buzzer sound before the light turns on)

- **U10 Base Options**




- **U10 Installation method**

Optional accessories:
eyebolt base and tripod (M8 adapter)




Dimensions

U10-60W



E26 D94XL322mm

U10-80W




E26 D94XL422mm

Application

School




Beauty Shop




Medical treatment



Office




Pet shop



Packing

Model No.	Inner box size (mm) (x0.0393=inch)	N.W per lamp (kg) (lbs=kgx2.2)	G.W per lamp (kg) (lbs=kgx2.2)	G.W per Carton (kg) (lbs=kgx2.2)	Carton size (mm) (x0.0393=inch)	Quantity per carton
U10-60W-01	380x124x124mm	E26 0.92Kg	E26 1.14Kg	E26 14.68Kg	511x387x400mm	12PCS
U10-60W-02		E39 0.95Kg	E39 1.17Kg	E39 14.91Kg		
U10-80W-01	480x124x124mm	E26 1.10Kg	E26 1.35Kg	E26 17.28Kg	511x387x500mm	12PCS
U10-80W-02		E39 1.12Kg	E39 1.37Kg	E39 17.58Kg		
L21 (Eyebolt base; E39 Only)	130x130x92mm	0.38Kg	0.496Kg	6.72Kg	535x400x112mm	12PCS
L22-02 (Tripod)	890x136x136mm	2.42Kg	2.795Kg	18.13Kg	905x424x290mm	6PCS



CAUTIONS

- Risk of electric shock. Do not use where directly exposed to water.
- Avoid UV light direct eyes and skin when turn on the lamp.
- Don't take apart the lamps without our permit.

**GLOBAL HID RETROFIT
INNOVATION MANUFACTURER**
SHENZHEN GUANKE TECHNOLOGIES CO.,LTD

Bldg 34, XiaLang Industrial Zone, HeShuiKou Community, MaTian St.,
GuangMing Dist., ShenZhen 518106, China

Tel: +86-755-27165559
E-mail: info@szguanke.com

Fax: +86-755-27543939
Web: www.szguanke.com